



World of Automation



Chapter 1: General information

HIQUEL[®]
HIGH QUALITY ELECTRONICS

www.hiquel.com



HIQUEL

HIGH QUALITY ELECTRONICS

new dimension in time ...



















All drawings, plans, sketches, specifications and other documents and materials relating to Goods produced by or for use are our property. All intellectual property rights in or relating to the Goods (including without limitation copyright and patents) belong to and are reserved by us and neither the Buyer nor any other person, firm or corporation shall have any right or licence to reproduce or use the same for the repair of the Goods for any other purpose whatsoever without our prior written consent. All information relating to the Goods (other than information in the public domain) is confidential and any disclosure to any third party requires our prior written consent.

The editors and publishers accept no responsibility for any inadvertent omission of entries or for typographical or other errors.

We shall not be liable for any delay or failure in performing any obligation through any circumstances beyond our control.

We reserve the right to alter specifications in the interests of technical progress.

CATALOGUE GUIDE

-  ◆ number of closing contacts
-  ◆ number of changing contacts
-  ◆ DIN-Rail mounting
-  ◆ 11 pin plug in
-  ◆ timer functionality
-  ◆ real time clock
-  ◆ protection class
-  ◆ temperature measurement function
-  ◆ PTC (Thermistor) measurement function
-  ◆ 3 phase measurement function
-  ◆ diode array
-  ◆ thyristor output
-  ◆ voltage measurement function
-  ◆ current measurement function
-  ◆ liquid level control
-  ◆ speed control
-  ◆ UL certification
-  ◆ CE conformity



monitoring & control relays


timing relays

signal converting relays

special purpose



housing types



DIN-rail
 terminals: IP20
 housing: IP50
 all dimensions in mm