









Back

### Type CSKV (conduit and cable fitting)

Combined 2-in-1 conduit and cable fitting. The CSKV is a combination of our proven WKK cable fitting and the EH conduit fitting.

- Clamping around entire circumference, ensuring maximum tear-out strength
- Optimum strain relief for the cable due to iris-shaped lamellae
- No parts can get lost, as fitting does not have to be dismantled for assembly
- High protection to IP65 without additional parts



	RoHS compliant
	-40 – 110 °C transient 140 °C
	V0
	IP 65
	Mod. polyamide PA 6 Moulded seal: Buna N
	UR authorisation
	DB authorisation
	BS-certification

Type	Order no.	Colour	Connecting thread	Suited for Murrflex	EH mm	GL mm	LW mm	SW mm	Pack qty.
Metric version									
CSKV-M16x1,5/9	83581850	black	M16x1.5	M12 / P9	45.0	8.0	4.0 – 8.0	19	50
CSKV-M16x1,5/11	83581852	black	M16x1.5	M16 / P11	49.0	8.0	5.0 – 10.0	22	50
CSKV-M20x1,5/13,5-16	83581854	black	M20x1.5	M20 / P16	50.0	9.0	6.0 – 12.0	24 / 27	50
CSKV-M20x1,5/16	83581856	black	M20x1.5	M20 / P16(S)	52.0	9.0	10.0 – 14.0	27	50
CSKV-M25x1,5/21	83581858	black	M25x1.5	M25 / P21(S)	60.0	11.0	13.0 – 18.0	33	50
CSKV-M32x1,5/29	83581860	black	M32x1.5	M32 / P29(S)	69.0	11.0	18.0 – 25.0	42	25
CSKV-M40x1,5/36	83581862	black	M40x1.5	M40 / P36(S)	88.0	13.0	22.0 – 32.0	53	10
CSKV-M63x1,5/48	83581864	black	M63x1.5	M50 / 48(S)	109.0	14.0	37.0 – 44.0	65	10
CSKV-M16x1,5/9	83581810	grey	M16x1.5	M12 / P9	45.0	8.0	4.0 – 8.0	19	50
CSKV-M16x1,5/11	83581812	grey	M16x1.5	M16 / P11	49.0	8.0	5.0 – 10.0	22	50
CSKV-M20x1,5/13,5-16	83581814	grey	M20x1.5	M20 / P16	50.0	9.0	6.0 – 12.0	24 / 27	50
CSKV-M20x1,5/16	83581816	grey	M20x1.5	M20 / P16(S)	52.0	9.0	10.0 – 14.0	27	50
CSKV-M25x1,5/21	83581818	grey	M25x1.5	M25 / P21(S)	60.0	11.0	13.0 – 18.0	33	50
CSKV-M32x1,5/29	83581820	grey	M32x1.5	M32 / P29(S)	69.0	11.0	18.0 –	42	25

								25.0		
CSKV-M40x1,5/36	83581822	grey	M40x1.5	M40 / P36(S)	88.0	13.0	22.0 – 32.0	53		10
CSKV-M63x1,5/48	83581824	grey	M63x1.5	M50 / 48(S)	109.0	14.0	37.0 – 44.0	65		10
Pg version										
CSKV-Pg 09	83581250	black	Pg 09	M12 / P9	45.0	8.0	4.0 – 8.0	19		50
CSKV-Pg 11	83581252	black	Pg 11	M16 / P11	49.0	8.0	5.0 – 10.0	22		50
CSKV-Pg 13,5/16	83581254	black	Pg 13.5	M20 / P16(S)	52.0	9.0	6.0 – 12.0	24 / 27		50
CSKV-Pg 16	83581256	black	Pg 16	M20 / P16(S)	52.0	10.0	10.0 – 14.0	27		50
CSKV-Pg 21	83581258	black	Pg 21	M25 / P21(S)	60.0	11.0	13.0 – 18.0	33		50
CSKV-Pg 29	83581260	black	Pg 29	M32 / P29(S)	69.0	11.0	18.0 – 25.0	42		25
CSKV-Pg 36	83581262	black	Pg 36	M40 / P36(S)	88.0	13.0	22.0 – 32.0	53		10
CSKV-Pg 48	83581264	black	Pg 48	M50 / P48(S)	95.0	14.0	37.0 – 44.0	65		10
CSKV-Pg 09	83581210	grey	Pg 09	M12 / P9	45.0	8.0	4.0 – 8.0	19		50
CSKV-Pg 11	83581212	grey	Pg 11	M16 / P11	49.0	8.0	5.0 – 10.0	22		50
CSKV-Pg 13,5/16	83581214	grey	Pg 13.5	M20 / P16(S)	52.0	9.0	6.0 – 12.0	24 / 27		50
CSKV-Pg 16	83581216	grey	Pg 16	M20 / P16(S)	52.0	10.0	10.0 – 14.0	27		50
CSKV-Pg 21	83581218	grey	Pg 21	M25 / P21(S)	60.0	11.0	13.0 – 18.0	33		50
CSKV-Pg 29	83581220	grey	Pg 29	M32 / P29(S)	69.0	11.0	18.0 – 25.0	42		25
CSKV-Pg 36	83581222	grey	Pg 36	M40 / P36(S)	88.0	13.0	22.0 – 32.0	53		10
CSKV-Pg 48	83581224	grey	Pg 48	M50 / P48(S)	95.0	14.0	37.0 – 44.0	65		10
NPT version										
CSKV 3/8"-09	83583250	black	3/8"	M12 / P9	45.0	14.0	4.0 – 8.0	19 / 22		50
CSKV 1/2"-16	83583256	black	1/2"	M20 / P16(S)	52.0	13.0	10.0 – 14.0	27		50
CSKV 3/4"-21	83583258	black	3/4"	M25 / P21(S)	60.0	14.0	13.0 – 18.0	33		25
CSKV 1"-29	83583260	black	1"	M32 / P29(S)	69.0	19.0	18.0 – 25.0	42		25
CSKV 3/8"-09	83583210	grey	3/8"	M12 / P9	45.0	14.0	4.0 – 8.0	19 / 22		50
CSKV 1/2"-16	83583216	grey	1/2"	M20 / P16(S)	52.0	13.0	10.0 – 14.0	27		50
CSKV 3/4"-21	83583218	grey	3/4"	M25 / P21(S)	60.0	14.0	13.0 – 18.0	33		25

CSKV 1"-29	83583220	grey	1"	M32 / P29(S)	69.0	19.0	18.0 – 25.0	42	25
------------	----------	------	----	--------------	------	------	----------------	----	----

Note: Depending on the method of production, the colour of individual fitting parts may vary

Dimensional drawing

