

STRIPAX**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 1429-0

Fax: +49 5231 14292083

www.weidmueller.com



- Stripping tools with automatic self-adjustment
- For flexible and solid conductors
- Ideally suitable for mechanical and plant engineering, railway and rail traffic, wind energy, robot technology, explosion protection as well as marine, offshore and ship building sectors
- Stripping length adjustable via end stop
- Automatic opening of clamping jaws after stripping
- No fanning-out of individual conductors
- Adjustable to diverse insulation thicknesses
- Double-insulated cables in two process steps without special adjustment
- No play in self-adjusting cutting unit
- Long service life
- Optimised ergonomic design

General ordering data

Type	STRIPAX
Order No.	9005000000
Version	Stripping and cutting tool, Flexible and solid conductors with PVC insulation, 10mm ² , 25mm
GTIN (EAN)	4008190072506
Qty.	1 Stück

STRIPAX

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 1429-0

Fax: +49 5231 14292083

www.weidmueller.com

Technische Daten

Dimensions and weights

Width	190 mm	Width (inches)	7,48 inch
Height	99 mm	Height (inches)	3,898 inch
Depth	22 mm	Depth (inches)	0,866 inch
Weight	225 g	Net weight	222 g

Stripping tools

Cable type	Flexible and solid conductors with PVC insulation	Conductor cross-section (cutting capacity)	6 mm ²
Conductor cross-section, max.	10 mm ²	Conductor cross-section, max. AWG	AWG 7
Conductor cross-section, min.	0,08 mm ²	Conductor cross-section, min. AWG	AWG 28
Stripping length, max.	25 mm	Stripping range, min.	0,08 mm ²

Classifications

ETIM 3.0	EC000163	ETIM 4.0	EC000163
ETIM 5.0	EC000163	ETIM 6.0	EC002109
UNSPSC	23-17-16-04	eClass 5.1	21-04-03-01
eClass 6.2	21-04-38-90	eClass 7.1	21-04-37-06
eClass 8.1	21-04-37-06	eClass 9.0	21-04-38-90
eClass 9.1	21-04-37-06		

Approvals

Approvals



ROHS

Conform

Downloads

Brochure/Catalogue	CAT 6 TOOLS 15/16 EN CAT 8 SAI 15/16 EN
Engineering Data	9005000000_26125_Stripax_6_STP.stp

STRIPAX

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

Zeichnungen

Example of use

